



## Maximum efficiency Minimum encumbrance

Automatic wrapping machine in stainless steel that **weighs**, **wraps and labels** up to 35 trays per minute, particularly suitable for deli, meat and produce department.





## **Compact Size**



Always efficient wrapping in a minimum of space

## 12" Touch Screen Display



- Fully configurable with many functions
- Multiple statistics on wrapped goods

## **Applicator of Promotional Labels**



- Integrated printer for label customization
- Configurable angle and position

## Printers: 1 or 2



- Management of labels of various sizes
- Customizable texts, graphics and angle
- Easy roll replacement thanks to the pull-out drawer

### Automatic Applicator



• Extremely precise application for trays of any size

## Tray Detection and Centering



- Always centered tray
- Tray size recognition
- Faster entry for the operator

## Film Reels: 1 or 2



- Material saving
- Automatic film selection

# Output Roller Conveyor



• Integration into production line

## Input Belt Conveyor




- Maximum wrapping speed
- Simultaneous work of several operators



## Comparative Table







WM-AI AS2 JRP	WM-AI AT2 JRP	WM-AI AS2 JRP+PSAI	WM-AI AT2 JRP+PSAI
122x178x155 cm	122x178x155 cm	148x178x251 cm	148x178x251 cm
<b>✓</b>	V	~	V
<b>✓</b>	V	~	V
2	2	2	2
1	2	1	2
~	V	V	~
~	V	V	V
~	V	V	V
		V	V

Input belt conveyor

# MICRO



## Connectivity, functionality and integration







- Packaging trays of different materials and shapes
- Speed up to 16 pieces per minute
- Packaging capacity: up to 3500 g



### **DISPLAY**


- 12" backlit, colour LCD touch-screen
- Keypad with 19 customisable keys



#### **LABELLING**


- 3" label printer
- Ultra-fast roll changeover system with removable front drawer


The WM-AI and MICRO packaging machines can be easily integrated into existing installations as they can be interfaced



### Weighing:

Dual-range (6/15 Kg x 2/5 g) Can be connected to the main management softwares available on the market








Synchronised update of items and ingredients

**BENEFITS FOR THE CUSTOMER** 



Control over sold products and traceability

# Environment and sustainability



completely lead-free

## Comparative Table

	SERIES	CODE	
	WM-AI AS1	600001-S	
	WM-AI ASP1P	6000012-S	
	WM-AI AS2 JR	600002-S	
	WM-AI AT2 JR	600004-S	
ma	WM-AI AS2 JRP	600003-S	
mar	WM-AI AT2 JRP	600005-S	
	WM-AI AS2 JRP+PSAI	600008-S	
	WM-AI AT2 JRP+PSAI	600009-S	
	WM-MICRO	600014	

Second the second tension of the second tending tension of the second tension of the second tension of the



### YOUR WORLDWIDE PARTNER

# FOR RETAIL SOLUTIONS





Via della Fisica, 18 41042 Fiorano Modenese (MO) Italy Tel. +39 0536 070960

www.helmac.com

SALES AND TECHNICAL SUPPORT SERVICE